

AMENDMENTS TO THE CLAIMS

The following listing of claims replaces all prior versions, and listings, of claims in the Application.

Listing of Claims:

Claims 1-43 (Canceled).

Claim 44. (Previously Presented) A method for communicatively coupling a packet network to at least one communication network having an associated information format, the method comprising:

receiving, from one of the packet network and the at least one communication network, information requesting setup of a call between the packet network and the at least one communication network;

providing, to a host device, at least a portion of the information requesting setup of a call;

receiving, from the host device, configuration information based upon the at least a portion of the information requesting setup of a call; and

establishing call communication between the packet network and the at least one communication network based upon the configuration information, the communication including the conversion of information received in a packet format for transmission in the associated format, and the conversion of information received in the associated format for transmission in the packet format.

Claim 45. (Previously Presented) The method of claim 44 wherein the packet network is compliant with an Internet protocol (IP).

Claim 46. (Previously Presented) The method of claim 45 wherein the Internet Protocol is compliant with the transmission control protocol (TCP)/ Internet protocol (IP).

Claim 47. (Previously Presented) The method of claim 44 wherein packets comprise digitized voice information.

Claim 48. (Previously Presented) The method of claim 44 wherein packets comprise non-voice data.

Claim 49. (Previously Presented) The method of claim 48 wherein at least a portion of the non-voice data is unrelated to the communication of digitized voice information.

Claim 50. (Previously Presented) The method of claim 44 wherein the at least one communication network is a second packet network.

Claim 51. (Previously Presented) The method of claim 50 wherein the second packet network is compliant with an Internet protocol (IP).

Claim 52. (Previously Presented) The method of claim 51 wherein the Internet Protocol is compliant with the transmission control protocol (TCP)/ Internet protocol (IP).

Claim 53. (Previously Presented) The method of claim 44 wherein the at least one communication network comprises a conventional telephone switching network.

Claim 54. (Previously Presented) The method of claim 53 wherein the associated format is an analog format.

Claim 55. (Previously Presented) The method of claim 53 wherein the associated information format is a digital format.

Claim 56. (Previously Presented) The method of claim 53 wherein the associated format is a modem signal.

Claim 57. (Previously Presented) The method of claim 44 wherein the conversion of information received in a packet format for transmission in the associated format comprises converting digitized voice information into an analog voice signal.

Claim 58. (Previously Presented) The method of claim 44 wherein the conversion of information received in a packet format for transmission in the associated format comprises buffering digitized voice information for a period of time to minimize gaps in a voice signal.

Claim 59. (Previously Presented) The method of claim 44 wherein the conversion of information received in the associated format for transmission in the packet format comprises converting an analog voice signal into digitized voice information.

Claim 60. (Currently amended) The method of claim 44 wherein conversion of information received in the associated format for transmission in a packet format reduces ~~[[the]]~~ a number of voice packets transmitted via the at least one packet network, by changing the packetization when voice activity on the at least one network interface is below a predetermined level.

Claim 61. (Previously Presented) The method of claim 44 wherein the host device is a personal computer.

Claim 62. (Previously Presented) The method of claim 44 wherein the packet network is a wireless network.

Claim 63. (Previously Presented) A machine-readable storage having stored thereon a computer program having a plurality of code sections for implementing a system supporting communication between a packet network and at least one other network, the at least one other network having an associated communication format, the

code sections executable by a machine for causing the machine to perform operations comprising:

- accepting a request for setup of a call, the request identifying the at least one other network;
- providing, to a host device, information related to the call setup request;
- receiving, from the host device, call parameters derived from the information related to the call setup request; and
- communicatively coupling the packet network and the at least one other network, based upon the call parameters.

Claim 64. (Previously Presented) The machine-readable storage of claim 63 wherein the coupling comprises:

- converting information from a packet format to the associated communication format of the at least one other network; and
- transforming information from the associated communication format of the at least one other network to a packet format.

Claim 65. (Previously Presented) The machine-readable storage of claim 63 wherein the packet format is compliant with an Internet protocol (IP).

Claim 66. (Previously Presented) The machine-readable storage of claim 65 wherein the packet format is the transmission control protocol (TCP)/Internet protocol (IP).

Claim 67. (Previously Presented) The machine-readable storage of claim 63 wherein the at least one other network comprises a conventional telephone switching network.

Claim 68. (Previously Presented) The machine-readable storage of claim 67 wherein the associated communication format of the at least one other network is an analog format.

Claim 69. (Previously presented) The machine-readable storage of claim 63 further comprising:

communicating with the host device digitized voice information.

Claim 70. (Previously Presented) The machine-readable storage of claim 63 wherein the packet network is a wireless network.

Claim 71. (Previously presented) One or more circuits for use in a device for communicatively coupling a packet network to at least one communication network having an associated information format, the one or more circuits comprising:

at least one processor operatively coupled to interface circuitry for communicating using the packet network and the at least one communication network, the at least one processor operable to, a least:

receive, from one of the packet network and the at least one communication network, information requesting setup of a call between the packet network and the at least one communication network;

provide, to a host device, at least a portion of the information requesting setup of a call;

receive, from the host device, configuration information based upon the at least a portion of the information requesting setup of a call; and

establish call communication between the packet network and the at least one communication network based upon the configuration information, the communication including the conversion of information received in a packet format for transmission in the associated format, and the conversion of information received in the associated format for transmission in the packet format.

Claim 72. (Previously presented) The one or more circuits of claim 71 wherein the packet network is compliant with an Internet protocol (IP).

Claim 73. (Previously presented) The one or more circuits of claim 72 wherein the Internet Protocol is compliant with the transmission control protocol (TCP)/ Internet protocol (IP).

Claim 74. (Previously presented) The one or more circuits of claim 71 wherein packets comprise digitized voice information.

Claim 75. (Previously presented) The one or more circuits of claim 71 wherein packets comprise non-voice data.

Claim 76. (Previously presented) The one or more circuits of claim 75 wherein at least a portion of the non-voice data is unrelated to the communication of digitized voice information.

Claim 77. (Previously presented) The one or more circuits of claim 71 wherein the at least one communication network is a second packet network.

Claim 78. (Previously presented) The one or more circuits of claim 77 wherein the second packet network is compliant with an Internet protocol (IP).

Claim 79. (Previously presented) The one or more circuits of claim 78 wherein the Internet Protocol is compliant with the transmission control protocol (TCP)/ Internet protocol (IP).

Claim 80. (Previously presented) The one or more circuits of claim 71 wherein the at least one communication network comprises a conventional telephone switching network.

Claim 81. (Previously presented) The one or more circuits of claim 80 wherein the associated format is an analog format.

Claim 82. (Previously presented) The one or more circuits of claim 80 wherein the associated information format is a digital format.

Claim 83. (Previously presented) The one or more circuits of claim 80 wherein the associated format is a modem signal.

Claim 84. (Previously presented) The one or more circuits of claim 71 wherein the conversion of information received in a packet format for transmission in the associated format comprises converting digitized voice information into an analog voice signal.

Claim 85. (Previously presented) The one or more circuits of claim 71 wherein the conversion of information received in a packet format for transmission in the associated format comprises buffering digitized voice information for a period of time to minimize gaps in a voice signal.

Claim 86. (Previously presented) The one or more circuits of claim 71 wherein the conversion of information received in the associated format for transmission in the packet format comprises converting an analog voice signal into digitized voice information.

Claim 87. (Currently amended) The one or more circuits of claim 71 wherein conversion of information received in the associated format for transmission in a packet format reduces ~~[[the]]~~ a number of voice packets transmitted via the at least one packet network, by changing the packetization when voice activity on the at least one network interface is below a predetermined level.

Claim 88. (Previously presented) The one or more circuits of claim 71 wherein the host device is a personal computer.

Appln. No. 10/783,894
Filing Date: February 20, 2004
Reply to Office action mailed January 21, 2010
Response filed April 21, 2010

Claim 89. (Previously presented) The one or more circuits of claim 71 wherein the packet network is a wireless network.